



BEST AVAILABLE COPY

Docket No. N1085-00251
Inventors: Yung-Cheng Chen et al.
"Control Of Exposure energy On A Substrate"
Sheet 1 of 8




FIG. 1

Docket No. N1085-00251

Inventors: Yung-Cheng Chen et al.

"Control Of Exposure energy On A Substrate"

Sheet 2 of 8

5nm/100A




FIG. 2A

1nm/100A




FIG. 2B

Docket No. N1085-00251

Inventors: Yung-Cheng Chen et al.

"Control Of Exposure energy On A Substrate"

Sheet 3 of 8

$$CD = 5 \times 10^{-3} SiN = 0.0930$$

$$(CD - CD_{target}) = 5 \times 10^{-3} (SiN - SiN_{target})$$

$$(CD - 0.138) = 5 \times 10^{-3} (SiN - 882)$$

$$\Delta E_e = 1.0 \times 10^{-3} \times 5 \times 10^{-3} (SiN - 882)$$




FIG. 3

Docket No. N1085-00251

Inventors: Yung-Cheng Chen et al.

"Control Of Exposure energy On A Substrate"

Sheet 4 of 8

Segment 1 $\Delta CD = -0.4929 \times (SIN - 805) / 10$; $SIN < 870$
 Segment 2 $\Delta CD = 1.0545 \times (SIN - 891) / 10$; $870 \leq SIN < 920$
 Segment 3 $\Delta CD = -1.8435 \times (SIN - 942) / 10$; $920 \leq SIN < 940$
 Segment 4 $\Delta CD = 1.3408 \times (SIN - 931) / 10$; $SIN \geq 940$




FIG. 4

Docket No. N1085-00251

Inventors: Yung-Cheng Chen et al.

"Control Of Exposure energy On A Substrate"

Sheet 5 of 8

$$CD = -35485.98743 \times SiN + 9437.96146 \times SiN^2 - 835.46149 \times SiN + 24.75252$$




FIG. 5

Docket No. N1085-00251

Inventors: Yung-Cheng Chen et al.

"Control Of Exposure energy On A Substrate"

Sheet 6 of 8




FIG. 6

Docket No. N1085-00251

Inventors: Yung-Cheng Chen et al.

"Control Of Exposure energy On A Substrate"

Sheet 7 of 8




FIG. 7

85